WISCONSIN WELL WOMAN PROGRAM REIMBURSEMENT RATES EFFECTIVE 04/01/2004 – 03/31/2005

| Procedure | Current Procedural Terminology (CPT) | Reimbursement | Modifier | Professional | Technical |
|--|---|--|--|--------------------------------|-------------------|
| Code | Description | Rate | Yes/No | (26) | (TC) |
| PREVENTIVE | MEDICINE OV – Use these codes for health and evaluation of | risk profile for depression | on, domestic | violence, hypertension | , cardiovascular |
| | , osteoporosis, and comprehensive exams including Pap and annu | | | vider per year . If cli | ent sees GYN |
| provider for Pap- | Pelvic-CBE then may be referred for 2 nd Preventive office visit f | for remaining screenings | s. | | |
| 99385 | Initial Ages 35-39 | \$56.96 | No | | |
| 99386 | Initial Ages 40-64 | \$57.43 | No | | |
| 99387 | Initial Ages 65 and Over | \$54.69 | No | | |
| 99395 | Established Ages 35-39 | \$56.96 | No | | |
| 99396 | Established Ages 40-64 | \$56.96 | No | | |
| 99397 | Established Ages 65 and Over | \$56.96 | No | | |
| EVALUATION | AND MANAGEMENT | | | | |
| 99201 | Initial – 10 minutes | \$34.79 | No | | |
| 99202 | Initial – 20 minutes | \$62.20 | No | | |
| 99203 | Initial – 30 minutes | \$92.46 | No | | |
| 99211 | Established – 5 minutes | \$20.20 | No | | |
| | | 00.10 | N.T. | | |
| 99212 | Established – 10 minutes | \$36.18 | No | | |
| | Established – 10 minutes Established – 15 minutes | \$36.18 \$50.59 | No No | | |
| 99213 | | \$50.59 | No | consultation visits are c | covered under the |
| 99213 CONSULTATION | Established – 15 minutes | \$50.59 | No | consultation visits are o | covered under the |
| 99213 CONSULTATION WWWP) | Established – 15 minutes | \$50.59 | No | consultation visits are o | covered under the |
| 99213 CONSULTATION WWWP) 99241 | Established – 15 minutes ON OV – Consultation OV can be used to determine further breaches | \$50.59 ast diagnostic studies on | No ly (no other o | consultation visits are o | covered under the |
| 99213 CONSULTATIO WWWP) 99241 99242 | Established – 15 minutes ON OV – Consultation OV can be used to determine further breaches 15 minutes | \$50.59 ast diagnostic studies on \$48.06 | No ly (no other o | consultation visits are o | covered under the |
| 99213 CONSULTATIO WWWP) 99241 99242 99243 | Established – 15 minutes ON OV – Consultation OV can be used to determine further bread 15 minutes 30 minutes | \$50.59 ast diagnostic studies on \$48.06 \$88.14 | No ly (no other o | consultation visits are o | covered under the |
| 99213 CONSULTATIO WWWP) 99241 99242 99243 ANESTHESIA (| Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) | \$50.59 ast diagnostic studies on \$48.06 \$88.14 | No ly (no other o | consultation visits are o | covered under the |
| 99213 CONSULTATIO WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier | Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) | \$50.59 ast diagnostic studies on \$48.06 \$88.14 | No ly (no other c No No No | consultation visits are o | covered under the |
| 99213 CONSULTATIO WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19101 + modifier | Established – 15 minutes ON OV – Consultation OV can be used to determine further bread 15 minutes 30 minutes 40 minutes (use screening guidelines) | \$50.59 ast diagnostic studies on \$48.06 \$88.14 | No ly (no other c No No No No Yes | consultation visits are o | covered under the |
| 99213 CONSULTATIO WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19101 + modifier 19120 + modifier | Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) r r Or 00400 + modifier | \$50.59 ast diagnostic studies on \$48.06 \$88.14 \$116.31 | No ly (no other compared to the compared to th | consultation visits are o | covered under the |
| 99213 CONSULTATIO WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19101 + modifier 19120 + modifier 19125 + modifier | Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) r r Or 00400 + modifier | \$50.59 ast diagnostic studies on \$48.06 \$88.14 \$116.31 | No ly (no other company) No No No Yes Yes Yes Yes | consultation visits are o | covered under the |
| 99213 CONSULTATIO WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19120 + modifier 19125 + modifier 19126 + modifier | Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) r r Or 00400 + modifier | \$50.59 ast diagnostic studies on \$48.06 \$88.14 \$116.31 | No ly (no other of the control of th | | |
| 99213 CONSULTATION WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19120 + modifier 19125 + modifier 19126 + modifier | Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) r Or 00400 + modifier | \$50.59 ast diagnostic studies on \$48.06 \$88.14 \$116.31 | No ly (no other of the control of th | | |
| 99213 CONSULTATION WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19120 + modifier 19125 + modifier 19126 + modifier 19126 + modifier DEPRESSION - assessment detern | Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) r r r Or 00400 + modifier r r - Assess as part of the Preventive Medicine evaluation. (See Pre- | \$50.59 ast diagnostic studies on \$48.06 \$88.14 \$116.31 | No ly (no other of the control of th | | |
| 99213 CONSULTATION WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19120 + modifier 19125 + modifier 19126 + modifier 19126 + modifier DEPRESSION - assessment deterr 90801 | Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) r or Or 00400 + modifier r Assess as part of the Preventive Medicine evaluation. (See Premines need for referral. | \$50.59 ast diagnostic studies on \$48.06 \$88.14 \$116.31 \$17.01 ventive Medicine Office \$147.39 | No ly (no other compared to the compared to th | Code listed to be use | |
| 99213 CONSULTATION WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19120 + modifier 19125 + modifier 19126 + modifier 19126 + modifier 19126 + modifier 19126 + modifier 19127 + modifier 19126 + modifier | Established – 15 minutes ON OV – Consultation OV can be used to determine further bres 15 minutes 30 minutes 40 minutes (use screening guidelines) r or Or 00400 + modifier r - Assess as part of the Preventive Medicine evaluation. (See Premines need for referral. Psychiatric Diagnostic Consult | \$50.59 ast diagnostic studies on \$48.06 \$88.14 \$116.31 \$17.01 ventive Medicine Office \$147.39 | No ly (no other compared to the compared to th | Code listed to be use | |
| WWWP) 99241 99242 99243 ANESTHESIA (19100 + modifier 19120 + modifier 19125 + modifier 19126 + modifier 19126 + modifier DEPRESSION - assessment detern 90801 DOMESTIC AF | Established – 15 minutes ON OV – Consultation OV can be used to determine further bress 15 minutes 30 minutes 40 minutes (use screening guidelines) r r r Or 00400 + modifier r r - Assess as part of the Preventive Medicine evaluation. (See Premines need for referral. Psychiatric Diagnostic Consult BUSE – Assess as part of the Preventive Medicine Evaluation. (Sec. 1988) | \$50.59 ast diagnostic studies on \$48.06 \$88.14 \$116.31 \$17.01 ventive Medicine Office \$147.39 | No ly (no other compared to the compared to th | Code listed to be use | |

WISCONSIN WELL WOMAN PROGRAM REIMBURSEMENT RATES EFFECTIVE 04/01/2004 – 03/31/2005

| Procedure | Current Procedural Terminology (CPT) | Reimbursement | Modifier | Professional | Technical |
|--------------------|---|----------------------|----------------|-----------------|-----------|
| Code | Description | Rate | Yes/No | (26) | (TC) |
| <u>DIABETES</u> | , | 1 | | | |
| 82947 | FBG or Random Sample | \$5.48 | No | | |
| 82951 | GTT | \$17.99 | No | | |
| OSTEOPOROSI | \underline{S} – Assess risk as part of the Preventive Medicine Evaluation. (See | ee Preventive Medici | ne Office Visi | it codes above) | |
| LAB SERVICE | | | | | |
| 36415 | Venipuncture | \$3.00 | No | | |
| 99070 | Supplies and materials provided by physician over and above | \$16.04 | No | | |
| | these usually included with the office visit or other services | | | | |
| | rendered (list) | | | | |
| ALLOWABLE B | BREAST SCREENING AND DIAGNOSTICS | | | | |
| Radiology, use TO | C or <u>26</u> modifier as appropriate. | | | | |
| 76092 | Screening Mammogram | \$80.33 | Yes | \$35.41 | \$44.93 |
| 76090 | Diagnostic Mammogram (Unilateral) | \$74.11 | Yes | \$35.41 | \$38.71 |
| 76091 | Diagnostic Mammogram (Bilateral) | \$91.53 | Yes | \$43.83 | \$47.70 |
| 76095 | Stereotactic localization each lesion | \$342.30 | Yes | \$80.96 | \$261.35 |
| 76096 | Preop placement of needle localization wire, breast | \$76.49 | Yes | \$28.79 | \$47.70 |
| 76098 | Radiological Exam Surgical Specimen | \$22.90 | Yes | \$8.03 | \$14.87 |
| 76645 | Breast Ultrasound, unilateral and/or bilateral | \$66.40 | Yes | \$27.70 | \$38.71 |
| 76942 | Ultrasound guidance for needle biopsy | \$125.60 | Yes | \$34.26 | \$91.33 |
| 19000 | Puncture Aspiration of Breast Cyst surgical only | \$104.36 | No | | |
| 19001 | Puncture Aspiration of Cyst, each additional lesion | \$44.38 | No | | |
| 19100 | Breast Biopsy, precutaneous surgical only | \$125.87 | No | | |
| 19101 | Biopsy of Breast Open Incisional | \$289.16 | No | | |
| 19102 | Percutaneous, Needle Core, Using imaging guidance | \$217.89 | No | | |
| 19103 | Percutaneous, automated vacuum assisted or rotating biopsy | \$562.58 | No | | |
| | device, using imaging guidance | | | | |
| 19120 | Excision of Cyst, Fibroadenoma, etc. | \$388.05 | No | | |
| 19125 | Excision of Breast Lesion identified by preop placement of | \$417.33 | No | | |
| | radiological marker – open single lesion | | | | |
| 19126 | Excision of Breast Lesion, identified by preop placement of | \$156.06 | No | | |
| | radiological marker – each additional lesion | | | | |
| 19290 | Preop placement of needle localization | \$154.09 | No | | |
| 19291 | Each additional lesion | \$85.62 | No | | |
| 19295 | Image guided placement metallic localization clip | \$96.40 | No | | |

WISCONSIN WELL WOMAN PROGRAM REIMBURSEMENT RATES EFFECTIVE 04/01/2004 – 03/31/2005

| Procedure | Current Procedural Terminology (CPT) | Reimbursement | Modifier | Professional | Technical |
|---|--|----------------|-----------|-------------------|-------------|
| Code | Description | Rate | Yes/No | (26) | (TC) |
| 10021 | Fine Needle Aspiration (FNA), without guidance | \$126.31 | No | | |
| 10022 | FNA, with guidance | \$139.89 | No | | |
| BREAST LAB | | | | | |
| Use <u>TC</u> or <u>26</u> mo | odifier as appropriate. | | | | |
| 88172 | Evaluation of FNA | \$46.59 | Yes | \$32.41 | \$14.17 |
| 88173 | Interpretation and Report of FNA | \$115.18 | Yes | \$74.65 | \$40.54 |
| 88305 | Surgical Path. Interpretation up to 5 Specimens from breast | \$90.30 | Yes | \$40.44 | \$49.85 |
| 88307 | Breast excision lesion – requiring microscope evaluation | \$155.48 | Yes | \$85.56 | \$69.92 |
| 88331 | First tissue block, with frozen sections(s) single specimen | \$81.33 | Yes | \$64.08 | \$17.25 |
| 88332 | Each additional tissue block with frozen section | \$40.66 | Yes | \$31.69 | \$8.97 |
| CERVICAL CA | NCER SCREENING | | | | |
| 88164, p3000 | Pap Test (Routine Screening) Bethesda System | \$14.76 | No | | |
| 88141, p3001 | Pap Test/Diagnostic (Interpretation by Physician) | \$22.25 | No | | |
| 88142 | Thin Prep (reimbursed @ conventional Pap rate) | \$14.76 | No | | |
| 87621 | HPV Hybrid II Capture from Digene – HPV test High Risk | \$49.04 | No | | |
| | Only | | | | |
| 57452 | Colposcopy w/o Biopsy | \$108.44 | No | | |
| 57454 | Colposcopy with Biopsy and/or Endocervical Currettage | \$153.21 | No | | |
| 57455 | Colposcopy with Biopsy(s) of Cervix | \$140.17 | No | | |
| 57456 | Colposcopy with Endocervical Currettage | \$132.15 | No | | |
| 57505 | Endocervical Currettage (not done as d & c) | \$98.08 | No | | |
| 88305 | Surgical Pathology Colposcopy up to <u>5</u> specimens, use <u>TC</u> or | \$90.30 | Yes | \$40.44 | \$49.85 |
| | 26 modifier as appropriate | | | | |
| PROVIDERS: | PLEASE DISCUSS WITH THE PATIENT ANY PROCEDURI | ES YOU WISH TO | PERFORM ' | THAT ARE NOT LIST | TED ON THIS |
| FORM (Not Co | vered by WWWP) | | | | |

3

*Bolded CPT codes effective 07/01/2003